

SAFETY DATA SHEET

Section 1: IDENTIFICATION

OBLITER8

Recommended Use: Super strength floor stripper.
Product Code: 149002 (3x5L).



Whiteley Industrial

A division of Whiteley Corporation Pty Ltd (A.C.N. 000 906 678)
 Postal Address: P. O. Box 1076 North Sydney NSW 2059
 Telephone Number: (02) 9929 9155 Facsimile: (02) 9929 9077
 Web: www.whiteley.com.au

Emergency Telephone Number: Poisons Information Centre (National) 131126

Distributed in New Zealand by:

Whiteley Corporation NZ Limited

Address: PO Box 22-519 Otahuhu, Auckland, New Zealand 1640
 Telephone Number: 092737313, 0800 257 352

Emergency Telephone Number: New Zealand Poisons Centre 0800 POISON or 0800 764 766

Section 2: HAZARDS

GHS Classification

Metal Corrosion (Category 1)
 Acute toxicity – Oral (Category 4)
 Skin Corrosion (Category 1)
 Eye Damage (Category 1)
 Single Target Organ Toxicity – Single Exposure (Category 3)

Signal Word **DANGER**

Hazard Statements

| | |
|------|-----------------------------------------|
| H290 | May be corrosive to metals |
| H302 | Harmful if swallowed |
| H314 | Causes severe skin burns and eye damage |
| H335 | May cause respiratory irritation |

Precautionary Statements

| | |
|------|-----------------------------------------------------|
| P234 | Keep only in original container. |
| P264 | Wash hands thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P260 | Do not breathe fumes/mists/vapours/spray. |
| P280 | Wear protective gloves and eye/face protection. |
| P271 | Use only outdoors or in a well ventilated area. |

Response Statements

| | |
|------|---------------------------------------------|
| P390 | Absorb spillage to prevent material damage. |
|------|---------------------------------------------|

| | |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| P301 + P312 | IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P301 + P330 + P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. |
| P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P363 | Wash contaminated clothing before reuse. |
| P310 | Immediately call a POISON CENTRE or doctor/physician. |

Storage Statements

| | |
|-------------|------------------------------------------------------------------|
| P405 | Store locked up. |
| P403 + P233 | Store in a well ventilated place. Keep container tightly closed. |

Disposal Statements

| | |
|------|------------------------------------------------|
| P501 | Dispose of container as per local regulations. |
|------|------------------------------------------------|

HSNO Classifications

| | |
|------|-------------------------------------------------|
| 6.1D | Substances that are acutely toxic – Harmful. |
| 8.1A | Substances that are corrosive to metals. |
| 8.2C | Substances that are corrosive to dermal tissue. |
| 8.3A | Substances that are corrosive to ocular tissue. |

Section 3: COMPOSITION INFORMATION

| Ingredient | CAS No | Proportion |
|----------------------------------------|----------------|-------------------|
| 2-Butoxyethanol | 111-76-2 | 10-30% |
| Monoethanolamine | 141-43-5 | <10% |
| Benzyl Alcohol | 100-51-6 | <10% |
| Potassium Hydroxide | 1310-58-3 | <10% |
| Ingredients deemed not to be hazardous | Not applicable | To 100% |

Section 4: FIRST AID

| | |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye (Contact) | Hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poison Information Centre or a doctor, or for at least 15 minutes. Seek medical attention immediately. |
| Skin (Contact) | Remove contaminated clothing and flush skin and hair with running water. If skin irritation occurs seek medical advice. |
| Inhalation(Breathing) | Remove to fresh air. |
| Ingestion (Swallowing) | Rinse mouth with water. DO NOT induce vomiting. Give water to drink if conscious. Contact a Poisons Information Centre (Phone 131126) or a doctor/physician. |
| Advice to Doctor | Treat symptomatically for highly alkaline detergent. |
| First Aid Facilities | Ensure an eye wash and safety shower is available and ready for use. |

Additional Information No aggravated medical conditions are known to be caused by exposure to this product.

Section 5: FIREFIGHTING MEASURE

Suitable Extinguishing Media Solution does not burn. Use extinguishing media suited to the materials that are burning. eg. Dry chemical, CO₂ or water spray.

Hazards From Combustion Products Carbon dioxide, carbon monoxide, nitrogen oxides and other toxic gases may be produced in the case of fire or during thermal decomposition. Corrosive alkali vapours may be present.

Precautions For Fire Fighters and Special Protective Equipment Fire-fighters must wear full protective clothing including self-contained breathing apparatus and chemical splash suit. Remove from the vicinity containers not involved in the fire.

Additional Information **Hazchem Code** – 2R
May generate flammable hydrogen gas if in contact with zinc, tin, magnesium or aluminium.

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedure SAA/SNZ HB76: Dangerous Goods – Initial Emergency Response Guide (Guide 37) – for large volumes.

Spills / Clean up Clean up personnel should wear full protective clothing. Restrict access until completion of clean up. Then ensure adequate ventilation. Stop leak if safe to do so. Contain spill with absorbent material, such as towelling, sand, vermiculite or other inert material. Prevent spill entering stormwater drains or waterways. Collect and dispose of clean up material according to local regulations. Wash away remnants with copious amounts of cold water to sewer. Clean area by working from the periphery to the centre of spill or from the edge of the room to the centre.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling Contact Whiteley Corporation sales representative for advice when using this product for any application other than that outlined on the label or technical bulletin.
Any non-intended or non-authorized use of this product may result in personal injury or damage to equipment.
Store product in original container.
Wash thoroughly after handling product.

Conditions for Safe Storage Store in a cool, dry, well ventilated area away from incompatible materials. Keep container tightly sealed. Store below 30°C.

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

National Exposure Standards – Source: National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

| <u>Ingredient</u> | <u>CAS No</u> | <u>ES-TWA</u> | <u>ES-STEL</u> |
|---------------------|---------------|-----------------------|----------------------|
| Potassium Hydroxide | 130-58-3 | 2 mg/m ³ | - |
| 2-butoxyethanol | 111-76-2 | 96.9mg/m ³ | 242mg/m ³ |
| Monoethanolamine | 141-43-5 | 7.5mg/m ³ | 15mg/m ³ |

Biological Limit Values No data available.

Engineering Controls

Ensure adequate ventilation to keep airborne concentrations below exposure standards. If air contaminant levels exceed exposure limits respiratory protection is required, see Personal Protective Equipment.

Personal Protective Equipment

Eye/face protection – Safety glasses / face shield / chemical resistant goggles should be worn to prevent eye contact.

Skin protection – Use Nitrile gloves or similar to prevent skin contact.

Respiratory protection – If required use a half face filter respirator suitable for organic vapours.

| |
|----------------------------------------------------|
| Section 9: PHYSICAL AND CHEMICAL PROPERTIES |
|----------------------------------------------------|

| | | | |
|-----------------------------------------------|--------------------------|---------------------------------|--------------------------------|
| Appearance | Clear pale brown liquid | Odour | Characteristic |
| Odour Threshold | No data available | pH | >14 |
| Freezing Point | Approx. 0 ^o C | Initial Boiling Point | Approx. 100 ^o C |
| Boiling Range | No data available | Flash point | No data available |
| Evaporation Rate | No data available | Flammability | No data available |
| Upper flammability limit | No data available | Lower flammability limit | No data available |
| Vapour Pressure | No data available | Vapour Density | No data available |
| Relative Density | 1.06 | Solubility | Completely miscible with water |
| Partition Coefficient: n-octanol/water | No data available | Autoignition temperature | No data available |
| Decomposition temperature | No data available | Viscosity | Approx. 20 cPs |

| |
|---------------------------------------------|
| Section 10: STABILITY AND REACTIVITY |
|---------------------------------------------|

| | |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chemical Stability | Product is stable and will not undergo any hazardous reactions under normal conditions of use and storage. |
| Conditions to avoid | Avoid high temperatures (store below 30°C). |
| Incompatible materials | Incompatible with aluminium, tin, zinc, magnesium and their alloys. Also incompatible with acid, fertilizers, chlorinating compounds, brominated compounds and nitrated hydrocarbons. |
| Hazardous decomposition products | None known. |
| Hazardous reactions | May react with aluminium, tin and zinc to produce flammable hydrogen gas. |

| | |
|----------------------------------------------|--|
| Section 11: TOXICOLOGICAL INFORMATION | |
|----------------------------------------------|--|

| | |
|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute toxicity | 2-Butoxyethanol: LD ₅₀ 220mg/kg (intraperitoneal, rat) Monoethanolamine: LD ₅₀ 1g/kg (oral, rabbit) Potassium Hydroxide: LD ₅₀ 333mg/kg (oral, rat) |
| Skin corrosion/irritation | Product causes irritation, pain and reddening on skin contact. Serious burns may result if the affected area if product is not removed immediately by thorough washing with water. |
| Serious eye damage/irritation | Product causes irritation, pain and reddening on eye contact. Serious, permanent eye damage may result if not treated immediately. |
| Respiratory or skin sensitisation | No data available. |
| Germ Cell Mutagenicity | No data available. |
| Carcinogenicity | No data available. |
| Reproductive toxicity | No data available. |
| Specific Target Organ Toxicity – Single Exposure | May cause respiratory irritation. |
| Specific Target Organ Toxicity – Repeated Exposure | No data available. |
| Aspiration Hazard | No data available. |

| | |
|-------------------------------------------|--|
| Section 12: ECOLOGICAL INFORMATION | |
|-------------------------------------------|--|

| | |
|--------------------------------------|--------------------|
| Ecotoxicity | No data available. |
| Persistence and degradability | No data available. |
| Bioaccumulative potential | No data available. |
| Mobility in soil | No data available. |
| Other adverse effects | No data available. |

| | |
|--------------------------------------------|--|
| Section 13: DISPOSAL CONSIDERATIONS | |
|--------------------------------------------|--|

| | |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Disposal method | Disposal to sewer is normally recommended with copious amounts of water. Refer to State/Territory Land Waste Management Authorities if applicable. Containers are recyclable and can be disposed of by a licensed waste contractor. Containers can be disposed of to general waste or rinsed thoroughly and recycled. |
| Special precautions | Suitable for incineration by approved agent. |

| | |
|------------------------------------------|--|
| Section 14: TRANSPORT INFORMATION | |
|------------------------------------------|--|

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG)

Code).

| | |
|-------------------------------------|-----------------------------------------------------|
| UN Number | 1719 |
| UN Proper Shipping Name | CAUSTIC ALKALI LIQUID, N.O.S. (Potassium Hydroxide) |
| Class and subsidiary risk | 8 – Corrosive |
| Packing Group | II |
| Special precautions for user | Not applicable |
| Hazchem Code | 2R |

Section 15: REGULATORY INFORMATION

Poisons Schedule (SUSDP): Not applicable.

All ingredients are listed in the Australia Inventory of Chemical Substances (AICS).

HSNO Approval Code: HSR002526

This document has been produced in accordance with the requirements of the Globally Harmonised System of Classification and Labelling.

Section 16: OTHER INFORMATION

Date of preparation: 15th September 2016

© This document remains property of Whiteley Corporation Pty Ltd.
Alterations are not permitted without prior written authorisation from Whiteley Corporation Pty Ltd.